



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/447,501	11/23/1999	LANDY WANG	2260	3903
7590	10/28/2003		EXAMINER	
LAW OFFICES OF ALBERT S. MICHALIK, PLLC 704 - 228TH AVENUE NE. SUITE 193 SAMMAMISH, WA 98074			ANYA, CHARLES E	
			ART UNIT	PAPER NUMBER
			2126	9
			DATE MAILED: 10/28/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

PRG

<b>Interview Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	09/447,501	WANG ET AL.	
	Examiner Charles E Anya	Art Unit 2126	

All participants (applicant, applicant's representative, PTO personnel):

- (1) John Jordan. (3) \_\_\_\_\_.  
 (2) Charles E. Anya. (4) \_\_\_\_\_.

Date of Interview: 23 October 2003.

Type: a) Telephonic b) Video Conference  
 c) Personal [copy given to: 1) applicant 2) applicant's representative]

Exhibit shown or demonstration conducted: d) Yes e) No.  
 If Yes, brief description: \_\_\_\_\_.

Claim(s) discussed: 1,5,13,14 and 27.

Identification of prior art discussed: Marsland and Geist Jr.

Agreement with respect to the claims f) was reached. g) was not reached. h) N/A.

Substance of Interview including description of the general nature of what was agreed to if an agreement was reached, or any other comments: Applicant's representative proposed amending claims 1,5 and 27 to clearly reflect the invention. Examiner agreed to discuss the proposed amendment with his primary.

(A fuller description, if necessary, and a copy of the amendments which the examiner agreed would render the claims allowable, if available, must be attached. Also, where no copy of the amendments that would render the claims allowable is available, a summary thereof must be attached.)

THE FORMAL WRITTEN REPLY TO THE LAST OFFICE ACTION MUST INCLUDE THE SUBSTANCE OF THE INTERVIEW. (See MPEP Section 713.04). If a reply to the last Office action has already been filed, APPLICANT IS GIVEN ONE MONTH FROM THIS INTERVIEW DATE, OR THE MAILING DATE OF THIS INTERVIEW SUMMARY FORM, WHICHEVER IS LATER, TO FILE A STATEMENT OF THE SUBSTANCE OF THE INTERVIEW. See Summary of Record of Interview requirements on reverse side or on attached sheet.

Examiner Note: You must sign this form unless it is an Attachment to a signed Office action.

JOHN FOLLANSBEE  
 SUPERVISORY PATENT EXAMINER  
 TECHNOLOGY CENTER 2100



Examiner's signature, if required

## DETAILED ACTION

### ***Claim Rejections - 35 USC § 102***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. **Claims 31 and 35-37 are rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Pat. No. 5,491,808 to Geist, Jr.**

3. As to claim 31, Geist teaches a computer-readable medium having computer executable instructions, comprising: receiving a plurality of requests from a component driver for allocation of various distinct sets of memory ("...allocation calls..." Col. 7 Ln. 14 – 29), allocating the memory, memory allocated to the component driver on each request (Step 5 Col. 8 Ln. 26 – 35), tracking the receiving requests for de-allocation of at least one of the sets of memory allocated to the driver/tracking the space memory de-allocated in each received de-allocation request ("...removing..." Col. 10 Ln. 45 – 63), determining from the tracking whether memory remains allocated to the driver at a time when the driver should have no space memory allocated thereto and generating, an error at the time if memory remains allocated ("...unfreed memory..." Col. 6 Ln. 9 – 16).

4. As to claim 35, Geist teaches a system for monitoring drivers, comprising: an operating system component including an interface for receiving requests from drivers; a re-vectoring component for examining the requests to determine whether requesting drivers are to be monitored ((JMP) Col. 7 Ln. 42 – 50, Col. 8 Ln. 10 – 25, Step 100 Col. 10 Ln. 1 – 7), and a driver verifier component operably connected to the re-vectoring component, the driver verifier receiving information from the re-vectoring component for a driver that is to be monitored (“...thunk...” Col. 7 Ln. 42 – 62) and executing at least one test to monitor the driver, wherein in response to a request for memory from the driver, the driver verifier component allocates memory for the driver to use from a pool of memory other than a memory pool normally allocated from when the driver is operating unmonitored (ABLK...MSG free pool...” Col. 8 Ln. 27 – 35).

5. As to claim 36, Geist teaches the system of claim 35 wherein the operating system component comprises a kernel component (...kernel...” Col. 9 Ln. 19 – 27).

6. As to claim 37, Geist teaches the system of claim 35 wherein the re-vectoring component determines that the driver is to be monitored based on a setting in a registry (“...list...” Col. 9 Ln. 23 – 27).

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. **Claims 1-9,11-16,27-30,32-34,39-53 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 5,491,808 to Geist, Jr. in view of U.S. Pat. No. 5,689,707 to Donnelly.**

9. As to claim 1, Geist teaches a method, comprising in a computer system: receiving a request from a kernel mode driver ("...allocation calls..." Col. 7 Ln. 14 – 29), determining that the kernel mode driver is to be monitored/re-vectoring the request to a kernel mode driver verifier ("...intercept..." Col. 7 Ln. 14 – 29), and taking action in the kernel mode driver verifier to actively test the kernel mode driver for errors ("...value-checking..." Col. 7 Ln. 30 – 36).

Geist is silent with respect to the kernel mode driver verifier being capable of testing the kernel mode driver by simulating a low resource condition including failing requests for memory pool allocation.

Donnelly teaches the kernel mode driver verifier being capable of testing the kernel mode driver by simulating a low resource condition including failing requests for memory pool allocation ("...memory\_trigger (expiration event)..." Col. 7 Ln. 24 – 51). It would have been obvious to apply the teaching of Donnelly to the system of Geist. One

would have been motivated to make such modification in order to detect memory leaks (Col. 7 Ln. 47 – 51).

10. As to claim 2, Geist as modified in claim 1 teaches the method of claim 1 wherein receiving a request from a driver includes receiving a function call in a kernel component of an operating system (“...actual memory management functions...” Col. 7 Ln. 40 – 46).

11. As to claim 3, Geist as modified in claim 1 teaches the method of claim 1 wherein determining that the driver is to be monitored includes checking a registry setting (“...list...” Col. 9 Ln. 23 – 27).

12. As to claim 4, Geist as modified in claim 1 teaches the method of claim 1 wherein the request from the driver includes a memory allocation request, and wherein taking action in the kernel mode driver verifier to test the driver includes allocating memory space thereto from a special pool of memory (“...ABLK list...” Col. 7 Ln. 32 – 37, Col. 8 Ln. 27 – 35, Col. 9 Ln. 64 – 67, Col. 10 Ln. 35 – 63).

13. As to claim 5, Geist as modified in claim 1 teaches the method of claim 1 wherein the request from the driver includes a memory allocation request (“...allocation calls...” Col. 7 Ln. 18 – 21, “...function call...” Col. 8 Ln. 11 – 15).

Geist is silent with respect to taking action in the kernel mode driver verifier to test the driver includes marking memory bounding the memory space to detect improper access of the memory bounding the memory space.

Donnelly teaches taking action in the kernel mode driver verifier to test the driver includes marking memory bounding the memory space to detect improper access of the memory bounding the memory space ("...memory\_trigger(expiration event)..." Col. 7 Ln. 24 – 67, Col. 8 Ln. 1 – 9). It would have been obvious to apply the teaching of Donnelly to the system of Geist. One would have been motivated to make such modification in order to detect memory leaks (Col. 7 Ln. 47 – 51).

14. As to claim 6, Geist as modified in claim 1 teaches the method of claim 1 wherein the request from the driver includes a memory de-allocation request ("...removing..." Col. 10 Ln. 45 – 67).

Geist is silent with respect to taking action in the kernel mode driver verifier to test the driver includes marking de-allocated memory space to detect improper access of the de-allocated memory space.

Donnelly teaches taking action in the kernel mode driver verifier to test the driver includes marking de-allocated memory space to detect improper access of the de-allocated memory space ("...free() function..." Col. 8 Ln. 10 – 26). It would have been obvious to apply the teaching of Donnelly to the system of Geist. One would have been motivated to make such modification in order to detect memory leaks (Col. 7 Ln. 47 – 51).

15. As to claim 7, Geist as modified in claim 1 teaches the method of claim 1 wherein taking action in the kernel mode driver verifier to test the driver includes maintaining allocation information in at least one data structure associated with the driver (“...ABLK list...” Col. 7 Ln. 32 – 37, Col. 8 Ln. 27 – 35, Col.. 9 Ln. 64 – 67, Col. 10 Ln. 35 – 63).

16. As to claim 8, Geist as modified in claim 7 teaches the method of claim 7 wherein the request from the driver includes a memory allocation request, and wherein maintaining allocation information includes adding data corresponding to the allocation request to the data structure (“...ABLK list...” Col. 7 Ln. 32 – 37, Col. 8 Ln. 27 – 35, Col.. 9 Ln. 64 – 67, Col. 10 Ln. 35 – 63).

17. As to claim 9, Geist as modified in claim 7 teaches the method of claim 7 wherein the request from the driver includes a memory de-allocation request (“...removing...” Col. 10 Ln. 45 – 63) and wherein maintaining allocation information includes removing data corresponding to the allocation request from the data structure (ABLK Col. 10 Ln. 45 – 63).

18. As to claim 11, Geist as modified in claim 1 teaches the method of claim 1 wherein taking action in the kernel mode driver verifier to test the driver includes validating call parameters (“...error checking...” Col. 10 Ln. 37 – 44).

19. As to claim 12, Geist as modified in claim 1 teaches the method of claim 1 wherein taking action in the kernel mode driver verifier to test the driver includes checking for resources allocated to the driver at driver unload ("...de-allocation..." Col. 9 Ln. 64 – 67, "...removing..." Col. 10 Ln. 45 – 63).

20. As to claim 13, Geist as modified in claim 1 teaches the method of claim 1 wherein taking action in the kernel mode driver verifier to test the driver includes simulating a low resource condition ("...memory\_trigger (expiration event)..." Col. 7 Ln. 24 – 51). It would have been obvious to apply the teaching of Donnelly to the system of Geist. One would have been motivated to make such modification in order to detect memory leaks (Col. 7 Ln. 47 – 51).

21. As to claim 14, see the rejection of claim 1.

22. As to claim 15, Geist as modified in claim 13 teaches the method of claim 13 wherein simulating the low resource condition includes invalidating driver code and data ("...value-checking..." Col. 7 Ln. 30 – 32).

23. As to claim 16, Geist as modified in claim 1 is silent with respect to the method of claim 1 wherein taking action in the kernel mode driver verifier to test the driver includes checking for timers, in de-allocated pooled memory.

Art Unit: 2126

Donnelly teaches the method of claim 1 wherein taking action in the kernel mode driver verifier to test the driver includes checking for timers, in de-allocated pooled memory (“...expiration event...” Col. 5 Ln. 16 – 67, Col. 6 Ln. 8 – 46, Col. 7 Ln. 24 – 51). It would have been obvious to apply the teaching of Donnelly to the system of Geist. One would have been motivated to make such a modification in order to detect memory leak (Col. 7 Ln. 24 – 51).

24. As to claim 27, Geist teaches a computer-readable medium having computer executable instructions, comprising: receiving a request from a component for allocation of memory space (“...allocation calls...” Col. 7 Ln. 14 – 29, “...function call...” Col. 8 Ln. 11 – 16), determining a location of memory space to allocate (“...ABLK list...” Col. 7 Ln. 32 – 37, Col. 8 Ln. 27 – 35, Col.. 9 Ln. 64 – 67, Col. 10 Ln. 35 – 63) and allocating the memory space (Step 5 Col. 27 – 29, “...allocation is made...” Col. 10 Ln. 45 – 53).

Geist is silent with respect to restricting access to areas bounding the location wherein any access request to at least one of the areas results in an access violation and monitoring the areas bounding the location for an access violation.

Donnelly teaches restricting access to areas bounding the location wherein any access request to at least one of the areas results in an access violation and monitoring the areas bounding the location for an access violation (“...memory\_trigger (expiration event)...” Col. 7 Ln. 24 – 51). It would have been obvious to apply the teaching of Donnelly to the system of Geist. One would have been motivated to make such modification in order to detect memory leaks (Col. 7 Ln. 47 – 51).

25. As to claim 28, Geist as modified in claim 27 teaches the computer-readable medium of claim 27 having further compute executable instructions, comprising, detecting an access violation (“...MSG list/pool...” Col. 5 Ln. 55 – 67, Col. 7 Ln. 32 – 36, Col. 12 – 22).

26. As to claim 29, Geist as modified in claim 27 teaches the computer-readable medium of claim 27 having further computer-executable instructions, comprising receiving a request from the component for de-allocation of the memory space (“...de-allocation...” Col. 9 Ln. 64 – 67, “...removing...” Col. 10 Ln. 45 – 63). Geist as modified in claim 27 is silent with respect to restricting access to de-allocated memory space, wherein any access request to the de-allocated memory space results in an access violation and monitoring the de-allocated memory space for an access violation.

Donnelly teaches restricting access to de-allocated memory space, wherein any access request to the de-allocated memory space results in an access violation and monitoring the de-allocated memory space for an access violation (“...track...” Col. 4 Ln. 34 – 67). It would have been obvious to apply the teaching of Donnelly to the system of Geist. One would have been motivated to make such a modification in order to detect memory leak (Col. 4 Ln. 59 – 63).

Art Unit: 2126

27. As to claim 30, claim 29 covers claim 30 since claim 30 is computer-executable instructions of claim 29.

28. As to claim 32, Geist teaches a computer-readable medium having computer executable instructions, comprising: receiving information corresponding to a driver unload ("Routines..." Col. 9 Ln. 64 – 67, "...removing..." Col. 10 Ln. 45 – 63).

Geist is silent with respect to determining whether resources remain associated with the driver; and if resources remain associated with the driver, generating an error.

Donnelly teaches determining whether resources remain associated with the driver; and if resources remain associated with the driver, generating an error

("...memory\_trigger(expiration event Col. 7 Ln. 24 – 51: NOTE: Although driver is not explicitly taught memory allocation is universal to both program and driver). It would have been obvious to apply the teaching of Donnelly to the system of Geist. One would have been motivated to make such a modification in order to detect memory leak (Col. 7 Ln. 24 – 51).

29. As to claim 33, Geist as modified in claim 32 is silent with respect to the computer-readable medium of claim 32 wherein determining whether resources remain associated with the driver includes examining lists maintained by a system kernel.

Donnelly teaches the computer-readable medium of claim 32 wherein determining whether resources remain associated with the driver includes examining lists maintained by a system kernel ("...memory allocation table..." Col. 8 Ln. 1 – 9). It would

have been obvious to apply the teaching of Donnelly to the system of Geist. One would have been motivated to make such a modification in order to detect memory leak (Col. 7 Ln. 24 – 51).

30. As to claim 34, Geist as modified in claim 32 teaches the computer-readable medium of claim 32 wherein determining whether resources remain associated with the driver includes maintaining information tracking memory allocated to the driver and deallocated thereby (“...ABLK list...” Col. 7 Ln. 32 – 37, Col. 8 Ln. 27 – 35, Col.. 9 Ln. 64 – 67, Col. 10 Ln. 35 – 63).

31. As to claim 39, Geist teaches the system of claim 35 wherein the a request from the driver includes a memory allocation request, and wherein a test by the driver verifier includes allocating memory space thereto from a special pool of memory (“...ABLK list...” Col. 7 Ln. 32 – 37, Col. 8 Ln. 27 – 35, Col.. 9 Ln. 64 – 67, Col. 10 Ln. 35 – 63). Geist is silent with respect to marking memory bounding the memory space to detect improper access of the memory bounding the memory space.

Donnelly teaches marking memory bounding the memory space to detect improper access of the memory bounding the memory space (“...memory\_trigger(expiration event)...” Col. 7 Ln. 24 – 51, Col. 8 Ln. 1 – 9). It would have been obvious to apply the teaching of Donnelly to the system of Geist. One would have been motivated to make such a modification in order to detect memory leak (Col. 7 Ln. 24 – 51).

32. As to claim 40, Geist teaches the method system of claim 35 wherein the request from the driver includes a memory de-allocation request, and wherein a test by the driver verifier includes de-allocating the memory space and marking the de-allocated memory space to detect improper access thereof (“...de-allcoation...” Col. 9 Ln. 64 – 67, “...removing...” Col. 10 Ln. 45 – 67).

33. As to claim 41, Geist teaches the system of claim 35 wherein a test by the driver verifier includes examining resources allocated to the driver (“...searching...” Col. 10 Ln. 45 – 63).

34. As to claim 42, Geist teaches the system of claim 41 wherein examining resources allocated to the driver includes tracking outstanding memory allocated to the driver (ABLK Col. 10 Ln. 45 – 63).

35. As to claim 43, Geist teaches the system of claim 41 wherein examining resources allocated to the driver includes reviewing lists maintained by the operating system component for information therein associated with the driver (“...searching...” Col. 10 Ln. 45 – 63).

36. As to claim 44, Geist teaches the system of claim 35 wherein a test performed by the driver includes validating call parameters (“...error checking...” Col. 10 Ln. 37 – 44).

37. As to claim 45, Geist teaches the method system of claim 35 wherein a test performed by the driver includes failing requests for memory pool allocation (“...(MSG) list...” Col. 7 Ln. 34 – 36).

38. As to claim 46, Geist teaches the method system of claim 35 wherein a test performed by the driver includes invalidating driver code and data (“...value-checking...” Col. 7 Ln. 30 – 32).

39. As to claim 47, Geist is silent with respect to the method system of claim 35 wherein a test performed by the driver includes checking for timers in de-allocated pooled memory.

Donnelly teaches the method system of claim 35 wherein a test performed by the driver includes checking for timers in de-allocated pooled memory (“...expiration event...” Col. 5 Ln. 16 – 67, Col. 6 Ln. 8 – 46, Col. 7 Ln. 24 – 51). It would have been obvious to apply the teaching of Donnelly to the system of Geist. One would have been motivated to make such a modification in order to detect memory leak (Col. 7 Ln. 24 – 51).

40. As to claim 48, Geist teaches a method in a computer system for verifying system components, comprising: selecting one or more tests for verifying functionality of the system component (Col. 5 Ln. 21 – 42, “...track...” Col. 8 Ln. 11 – 16, “...monitored...” Col. 10 Ln. 1 – 7), modifying a request for system services to include

execution of the selected tests/executing the modified request (“...take over...” Col. 5 Ln. 43 – 54, “...intercept...” Col. 7 Ln. 14 – 29, “...thunk...” Col. 7 Ln. 42 – 67).

Geist is silent with respect to one of the tests includes restricting access to a resource such that an attempted access to the resource causes an access violation; and generating errors for any test failures.

Donnelly teaches one of the tests includes restricting access to a resource such that an attempted access to the resource causes an access violation; and generating errors for any test failures (“...memory\_trigger(expiration event)...” Col. 7 Ln. 24 – 51, Col. 8 Ln. 1 – 9). It would have been obvious to apply the teaching of Donnelly to the system of Geist. One would have been motivated to make such a modification in order to detect memory leak (Col. 7 Ln. 24 – 51).

41. As to claim 49, Geist as modified in claim 48 teaches the method of claim 48 wherein the system component comprises a device driver (NLM Col. 9 Ln. 9 –13).

42. As to claim 50, Geist as modified in claim 48 teaches the method of claim 48 wherein the request for system services comprises a request to a kernel component (“...kernel...” Col. 9 Ln. 19 – 24).

43. As to claim 51, Geist as modified in claim 48 teaches the method of claim 48 further comprising applying a test condition designed to detect a specific error (“...errors...” Col. 5 Ln. 32 – 42).

44. As to claim 52, Geist as modified in claim 51 teaches the method of claim 51 wherein applying the test condition includes restricting available system resources (“...memory\_trigger(expiration event)...” Col. 7 Ln. 24 – 51, Col. 8 Ln. 1 – 9). It would have been obvious to apply the teaching of Donnelly to the system of Geist. One would have been motivated to make such a modification in order to detect memory leak (Col. 7 Ln. 24 – 51).

45. As to claim 53, claim 48 covers claim 53, since claim 53 is a computer-readable medium of claim 48.

**46. Claims 10 and 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 5,491,808 to Geist, Jr. in view of U.S. Pat. No. 5,689,707 to Donnelly as applied to claims 7 and 37 above, and further in view of PCT WO 95/22104 to Parker et al.**

47. As to claim 10, Geist as modified in claim 7 is silent with respect to the method of claim 7 further comprising providing the allocation information to a user interface. Parker teaches the method of claim 7 further comprising providing the allocation information to a user interface (Step 190 page 20 lines 3 – 34). It would have been obvious to apply the teaching of Parker to the system of Geist. One would have been

motivated to make such a modification in order to alert a user of memory allocation problem (page 20 lines 10 – 16).

48. As to claim 38, Geist as modified in claim 37 is silent with respect to the system of claim 37 further comprising a user interface for writing driver information to the registry.

Parker teaches the system of claim 37 further comprising a user interface for writing driver information to the registry ("...SaVE prompt..." page 21 lines 6 – 23). It would have been obvious to apply the teaching of Parker to the system of Geist. One would have been motivated to make such a modification in order to save user operation (page 21 lines 19 – 23).

### **Conclusion**

49. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

U.S. Pat. No. 5,949,972 to Applegate.

U.S. Pat. No. 6,618,824 B1 to Hastings.

U.S. Pat. No. 6,363,467 to Weeks.

U.S. Pat. No. 5,590,329 to Goodnow II et al.

Art Unit: 2126

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E Anya whose telephone number is (703) 305-3411. The examiner can normally be reached on M-F (8:30-6:00) First Friday off.

The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Charles E Anya  
Examiner  
Art Unit 2126

cea